

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	2	plurality with (classif\$7 adj engine) with (processor microprocessor micro adj processor CPU) and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 10:25
L5	74	(classif\$7 adj engines) with (processor microprocessor micro adj processor CPU) and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 10:37
L8	7	processor same classif\$7 same hierarchical same field same level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 10:55
L9	15	field same level same trie same classif\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:11
L13	6	field same level same hierarch\$4 same (maintained saved stored) same (microprocessor micro-processor micro adj processor processor CPU) same classif\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:56
L15	2	search same classif\$3 same field same prefix same (range interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 12:24
L16	103	search and classif\$3 and (field same prefix same (range interval))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 12:24

## EAST Search History

L17	62	search and classif\$3 and (field same prefix same (range interval)) and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 13:29
L18	5	processor same (classif\$3 near3 engine) same field and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 13:33
L19	4	(prefix adj lookup) same (range adj lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 13:34
L20	7	(prefix adj lookup) and (range adj lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 13:37
L21	27	prefix same range same lookup same field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 13:47
L23	125	(multiple adj field multifield multi-field multi adj field) same classif\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 14:06
L24	64	(multiple adj field multifield multi-field multi adj field) same classif\$3 and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 15:07

## EAST Search History

L29	4	(two adj part two adj stage) with classif\$3 same (lookup look adj up look-up) and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 15:10
L30	10	(two adj part two adj stage) with classif\$3 same field and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 15:11
S1	5	classif\$7 same query same update same prefix same (lookup look-up look adj up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 20:30
S2	152	classif\$7 same prefix same (lookup look-up look adj up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 20:30
S3	51	classif\$7 with prefix with (lookup look-up look adj up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 20:33
S4	35	classif\$7 same prefix same (lookup look-up look adj up) same range and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 09:43
S5	128	prefix same (lookup look-up look adj up) same range and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:30

## EAST Search History

S6	93	S5 not S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:30
S7	11	packet same classif\$7 same prefix same range same (look adj up lookup look-up) same field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 11:24
S8	11	classif\$7 same prefix same range same (look adj up lookup look-up) same field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 11:25
S9	44	classif\$7 same prefix same range same (look adj up lookup look-up) and field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 11:34
S10	33	S9 not S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 11:25
S11	21	S10 and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 09:43
S13	31	prefix same range same (look adj up lookup look-up) same field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 11:35

## EAST Search History

S14	20	S13 not S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:04
S15	2	(TCAM ternary adj content adj addressable adj memory) same (k-way key-way key adj way kway) same search	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:06
S21	80	prefix with range same classif\$7 same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 17:01
S23	29	classif\$7 same engine same process\$3 same prefix same range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 17:08
S24	147	classif\$7 same prefix same range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 17:08
S25	80	prefix with range same classif\$7 same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 17:08
S26	67	S24 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 17:18

## EAST Search History

S27	959	(TCAM ternary adj content adj addressable adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 17:19
S28	141	(TCAM ternary adj content adj addressable adj memory) and prefix and range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 17:20
S29	140	(TCAM ternary adj content adj addressable adj memory) and prefix and range and field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 17:20
S30	119	S29 not S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 17:21
S31	48	S30 and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 18:46
S32	5052	prefix and range and engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 18:47
S34	100	prefix same range same engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 19:30

## EAST Search History

S35	147	prefix same range same classif\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 19:30
S36	36	S35 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 19:35
S37	190	(first adj classifier) with (second adj classifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 19:39
S43	726	classification adj engines	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/05 20:02
S44	1	classification adj engines same prefix same range	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/05 20:02
S45	56	classification adj engines and prefix and range	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/05 20:02
S46	21900	(370/386 370/389 707/100 707/3 707/6).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 09:43
S47	82	prefix same (range interval) same field and classif\$7 and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:03

## EAST Search History

S48	18	S47 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 09:44
S49	48	prefix and (range interval) and field and classif\$7 and (TCAM ternary adj content adj addressable adj memory) and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 10:20
S50	47	S49 not S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 09:59
S51	59	field same classif\$7 and (TCAM ternary adj content adj addressable adj memory) and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 10:33
S52	4	field same classif\$7 same hierarch\$4 and (TCAM ternary adj content adj addressable adj memory) and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 10:24
S53	22	S51 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 10:24
S55	34	field same classif\$7 same (two near3 stage) and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 10:37



## EAST Search History

S56	33	S55 not S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 10:33
S57	33	S56 not S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 10:34
S60	19	packet same classif\$7 same (two near3 stage) and field and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 10:46
S61	11	classif\$7 same (two near3 stage) and prefix and (range interval) and field and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 10:56
S64	7	(two adj stage) with classification same field and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:27
S65	63	classification same field same range and prefix and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:28
S66	53	S65 not S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:28

## EAST Search History

S67	53	S66 not S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:28
S68	46	S67 not S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:52
S71	5	jino0 near3 joung.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:54
S72	19	woo-jong near3 park.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:58
S73	8	guansong near3 zhang.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:00
S76	281	chao.in. and ("370"/\$ "707"/\$). ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:01
S77	10	field with level with trie and classif\$7 and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:13

## EAST Search History

S78	341	field same classif\$7 same engines and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:13
S79	2	field same classif\$7 same engines same TCAM and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:16
S85	7	stage same classif\$7 same field and TCAM and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:35
S86	337	stage same classif\$7 same field and range and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:35
S87	33	stage same classif\$7 same field and range and prefix and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:37
S88	31	S87 not S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:35
S89	93	stage same classif\$7 same field and engine and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 12:37

## EAST Search History

S90	65	S89 not S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 13:23
S91	5	classif\$7 same engine same TCAM and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 13:33
S92	13	prefix with (lookup look-up look adj up) and range and classif\$7 and TCAM and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 13:54
S93	28	prefix with (range interval) with (lookup look-up look adj up) and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 13:57
S94	18	prefix same (range interval) same (lookup look-up look adj up) same field and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 14:24
S95	214	(2-dimens\$5 two adj dimens\$5) same classif\$7 same field and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 14:26
S96	81	(2-dimens\$5 two adj dimens\$5) with classif\$7 same field and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 14:28

## EAST Search History

S97	5	(2-dimens\$5 two adj dimens\$5) with packet with classif\$7 same field and @ad<="20030228"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 14:29
-----	---	--	--	----	----	------------------